

The ALICE Grid workflow for LHC Run 3

As deployed in production

Maxim Storetvedt | CHEP 2023 | Norfolk, VA | May 2023

Computing challenges in ALICE for Run 3

- Almost 10x computing increase seen during Run 2
 - Average annual growth 15%
- ALICE detector, readout and software upgraded between 2018-2021
 - Increases the amount of collected data
 - From 4GB/s to 100GB/s post compression
- Number of jobs/pilots projected to increase
 - With more complex/multicore payloads
- Limitations to original AliEn Grid middleware stack
 - Maintenance & scaling concerns
 - Accumulation of dependencies and deprecated code






Figure: Data accumulation in ALICE 2011 - 2018.



Changes for Run 3 and beyond

- New middleware introduced: JAliEn
 - New codebase
 - New backends
 - New features
- Updated means of deployment
 - More reliance on CVMFS
 - Introduction of containers
 - (More) automated steps
- Updated process for maintenance
 - Centrally triggered updates
 - Single recipe for key components





CHEP 2023 | Norfolk, VA | The ALICE Grid workflow for LHC Run 3 | Maxim Storetvedt

CHEP 2023 | Norfolk, VA | The ALICE Grid workflow for LHC Run 3 | Maxim Storetvedt

5


ALICE sites in Run 3

- ALICE/JAliEn still requires VOBox front-end for each site
 - Now available as a preconfigured ready-to-go container
 - Hosts site service component of JAliEn
- Container comes with **no** JAliEn binaries
 - All called directly from CVMFS as needed
 - When a job is matched, JAliEn VOBox component generates a pilot script
 - Points to both binaries and system libraries in CVMFS
 - Distributed to a free WN by site CE
- Only **two requirements** must be met to deploy a new JAliEn site
 - A resource management system (CE) for distributing pilot scripts across WNs
 - A valid site certificate



Job pilots and WNs

- Each startup script on WNs
 - Prepares environment
 - Loads pilot using libraries and Java from CVMFS
 - System agnostic
- Each JAliEn pilot consists of three components:
 - JAliEn JobRunner¹: Resource/multicore handler
 - JAliEn JobAgent²: Job matcher/monitoring handler
 - JAliEn JobWrapper²: Payload executor
- The latter runs on a separate JVM for isolation
 - Automatically wrapped in a **container** by JobAgent
 - Handles payload that can be 1 to 8 core per job slot







Payload environment

- By default, all Grid jobs are wrapped in a common EL container by JAliEn pilot
 - Provides a tried-and-tested environment on CentOS 7.9 across sites/nodes
 - Additional isolation from WN host
- Image as a sandbox directory located in CVMFS at
 - /cvmfs/alice.cern.ch/containers/fs/singularity/centos-latest
- Build recipe available on <u>Gitlab</u>
 - User PRs possible for package requests
- Two optional images can be set by **site**
 - Alma 8.7: For newer payloads (no ROOT5) and GPUs¹
 - Alma 9.1: Testing only (no production use)
- ¹GPUs are supported through Apptainer
 - Compatibility check for supported container frameworks by JAliEn
 - GPUs auto detected, with flags/mounts added as needed

ALICE

Compatibility

- Workflow only possible when several requirements met on WNs
 - E.g. OS, permissions, packages...
- Initially very low compatibility / only possible on a handful of sites
- Project started to check and map configurations across site WNs
 - SiteSonar: see presentation by Kalana Wijethunga
- Workarounds found as a result
 - Avoiding privileged bind-mounts through pre-created directories
 - Bundling needed OS components and libraries through CVMFS
 - Bootstraps placed for custom glibc and other required libraries
 - Everything needed to start both job **pilot** and a payload **container** provided by **CVMFS**
- Consequently, jobs can run on **any** WN with a recent Linux kernel and CVMFS
 - Roughly Linux 3.10 and later

Release distribution



- Each JAliEn release has a corresponding version tag in Alienv
 - Tool for tracking dependency trees and CVMFS paths for releases
 - Tightly interconnected with **Alibuild** build system for new releases when tagged in Git
 - Successful builds automatically published to CVMFS
 - Also adds corresponding Alienv entry for newly built/published releases
- JAliEn may quickly be updated by applying a new Alienv tag
 - When done on a site VOBox, this will apply to all new job pilots
 - Through the startup scripts generated by JAliEn here
 - Full site is eventually switched with no further action needed
- Updates for VOBoxes triggered **centrally** across sites as new tags become available

ALICE

On maintainability

- Updating JAliEn for site/WNs now largely automated (from site admin perspective)
 - Sites can subscribe to different release "channels"
 - New Latest release in CVMFS
 - Production Stable for general use
 - Custom Specific version set by site
- Packages/environment now determined by containers independent of site
 - Common recipe for <u>VOBox container</u>
 - Common recipe for <u>WN container</u>
- JAliEn itself has also shown to be more maintainable
 - Several extensions since being brought into production

Compared to Run 2, a shift towards

- More steps being automated
- More steps managed centrally



Summary and outlook

- ALICE has moved to a **new** Grid middleware and workflow system based around **JAliEn**
 - Aimed at overcoming the computing challenges of LHC Run 3 and beyond
- Benefits from new developments in computing since release/creation of original AliEn
 - More reliance on **CVMFS**, giving more independence from host systems
 - Updated and more **automated** maintenance and deployment
 - Quick setup and more homogeneous environments through containers
- Streamlined codebase for better maintenance and **further development**
 - Removal of remaining AliEn legacy services
 - (Initial) support for WLCG tokens
 - Better utilisation of available Grid resources, through oversubscription
 - See next talk by Marta Bertran Ferrer



Thank You [Questions, comments]? email: mstoretv@cern.ch