



Nice GUIs

Laboratory of Parallel and Distributed Systems


MTA SZTAKI

www.lpds.sztaki.hu





Contents









GRM and PROVE

- Monitoring and visualisation of parallel programs
- Goal: Connect GRM to R-GMA
 - Modify instrumentation library to act as a Producer
 - Modify Main Monitor of GRM to act as a Consumer
 - Prove can be untouched
 - C API to R-GMA is needed









- Analysis and visualisation tool for
- monitoring data of resources and services and applications.
- Java code
- data source components →
 preprocessing components →
 view components
 their connections are defined in XML
- "The Pulse" is just a temporary name






- Separates data model from visualisation modules
- based on Model-View-Controller paradigm
- Data model: meta-data (name, type, unit, range) and interface to the data source.
- Controller: preprocessing, analysis components
- View: displaying components












& The Pulse - Linux										
SysTime[ms]	load1[load5[load15[running[]	all[]	pid[]				To
1015070408546	0.28	0.11	0.04	1	25	662				1
1015070409548	0.28	0.11	0.04	1	25	662				
1015070410689	0.28	0.11	0.04	1	25	662				
1015070411540	0.28	0.11	0.04	1	25	662				
1015070412542	0.28	0.11	0.04	1	25	662				
1015070413543	0.28	0.11	0.04	1	25	662				
1015070414545	0.28	0.11	0.04	1	25	662				
1015070415546	0.28	0.11	0.04	1	25	662				3
1015070416538	0.28	0.11	0.04	1	25	662				
1015070417539	0.28	0.11	0.04	1	25	662				
1015070418641	0.28	0.11	0.04	1	25	662				
1015070419542	0.28	0.11	0.04	1	25	662				
1015070420543	0.28	0.11	0.04	1	25	662				
SycTimo(mcl	totalMamiPuta	lucadMam/Pv	frooMom(Pyto)	charadMami	huffareMami	cachadMami	total@waniPv	.usedSwap[B	fran Cwan (Dyta	Mom
SysTime[ms]	totalMem[Byte]		freeMem[Byte]	and the second s	buffersMem[cachedMem[totalSwap[By.	0	.freeSwap[Byte	and the second second second second
1015070405752	121438208	21622784		0	2293760	10473472	139821056	0	139821056	1185
1015070406754	121438208	21622784		0	2293760	10473472	139821056	0	139821056	1185
1015070407755	121438208	21622784	1.5.5.6.6.6.6.6.6.6.6.6.6.6.6.6.6.6.6.6.	0	2293760	10473472	139821056	0	139821056	1185
1015070408756	121438208	21622784		0	2293760	10473472	139821056	0	139821056	1185
1015070409748	121438208	21622784		0	2293760	10473472	139821056	0	139821056	1185
1015070410779	121438208	21622784		0	2293760	10473472	139821056	0	139821056	1185
1015070411751	121438208	21622784		0	2293760	10473472	139821056	0	139821056	1185
1015070412752	121438208	21622784		0	2293760	10473472	139821056	0	139821056	1185
1015070413754	121438208	21622784	The state of the s	0	2293760	10473472	139821056	0	139821056	1185
1015070414755	121438208	21622784		0	2293760	10473472	139821056	0	139821056	1185
1015070415757	121438208	21622784		0	2293760	10473472	139821056	0	139821056	1185
1015070416748	121438208	21622784	The second secon	0	2293760	10473472	139821056	0	139821056	1185
1015070417749	121438208	21622784	The second secon	0	2293760	10473472	139821056	0	139821056	1185
1015070418751	121438208	21622784		0	2293760	10473472	139821056	0	139821056	1185
1015070419752	121438208	21622784	99815424	0	2293760	10473472	139821056	0	139821056	1185
1015070420754	121438208	21622784	99815424	0	2293760	10473472	139821056	0	139821056	1185 🕶
013070420754	121436208 	21022764	33013424 000000000000000000	6668	2293700	10473472	138821038	U	138621036	1185













```
E:\Java\pulse\dist\linuxConfig-tabs.xml - Microsoft Internet Explorer - [Working Offline]
                                                                   - 0 X
File Edit View Favorites Tools Help
  <?xml version="1,0" encoding="UTF-8" ?>
  <!DOCTYPE PulseConfiguration (View Source for full doctype...)>
- < PulseConfiguration >
  - <SamplerBuffer Id="sb-mem">
     <Sensor Id="lm" type="LinuxMemInfo" />
    </SamplerBuffer>
  - <SamplerBuffer Id="sb-load">
     <Sensor Id="lm2" type="LinuxLoadInfo" />
   </SamplerBuffer>
 - <FrameView Id="main" title="The Pulse - Linux">
   - <SplitPane mode="vertical">
     - <TabularView Id="tab-load">
         <SensorRef refId="sb-load" />
       </TabularView>
     - <TabularView Id="tab-mem">
         <SensorRef refId="sb-mem" />
       </TabularView>
     </SplitPane>
    </FrameView>
  </PulseConfiguration>
```













The Pulse: Future

- Connection to R-GMA
 - Implement an R-GMA Consumer component in Pulse which maps R-GMA data model to the data model of Pulse
- More visualisation modules for different kind of monitoring data
- Analysis: modules for data analysis can be included in Pulse
- Interactivity in Pulse