

PK-GRID-CA

CERTIFICATE POLICY AND CERTIFICATION PRACTICE STATEMENT

Version 1.0

December 2003

1. Introduction	6
1.1 OVERVIEW	6
1.2 POLICY IDENTIFICATION	6
1.3 COMMUNITY AND APPLICABILITY	6
1.3.1 Certification Authorities	6
1.3.2 Registration Authorities	6
1.3.3 End Entities	6
1.3.4 Applicability	6
1.3.5 User Restrictions	7
1.4 CONTACT DETAILS	7
2. General Provisions	9
2.1 OBLIGATIONS	9
2.1.1 PK-Grid-CA Obligations	9
2.1.2 PK-Grid RA Obligations	9
2.1.3 Subscriber Obligations	9
2.1.4 Repository Obligations	10
2.1.5 Relaying Party Obligations	10
2.2 LIABILITY	10
2.3 FINANCIAL RESPONSIBILITY	10
2.4 INTERPRETATION	10
2.4.1 Governing Law	11
2.4.2 Dispute Resolution Procedures	11
2.5 FEES	11
2.6 PUBLICATION AND REPOSITORIES	11
2.6.1 Publication of CA Information	11
2.6.2 Frequency of Publication	11
2.6.3 Access Controls	11
2.7 COMPLIANCE AUDIT	12
2.8 CONFIDENTIALITY POLICY	12
2.8.1 Confidential Information Kept by the PK-Grid-CA and RA	12
2.8.2 Types of Information not considered Confidential	12
2.8.3 Disclosure of Certificate Revocation/Suspension Information	12
2.8.4 Release of Information to Law Enforcement Officials	12
2.8.5 Information that can be revealed as a Part of Civil Discovery	12
2.8.6 Conditions of Disclosure upon owner's request	12
2.8.7 Other Circumstances for Disclosure of Confidential Information	13
2.9 Intellectual Property Rights	13
3. Identification and Authentication	14
3.1 INITIAL REGISTRATION	14
3.1.1 Types of names	14
3.1.2 Name Meanings	14
3.1.3 Name Uniqueness	14
3.1.4 Verification of Key Pair	14
3.1.5 Authentication of Organization	14
3.1.6 Authentication of Individual	15

3.2 ROUTINE REKEY.....	15
3.3 REKEY AFTER REVOCATION.....	15
3.4 REVOCATION REQUESTS	15
4. Operational Requirements	16
4.1 CERTIFICATE APPLICATIONS.....	16
4.2 CERTIFICATE ISSUANCE	16
4.3 CERTIFICATE ACCEPTANCE.....	16
4.4 CERTIFICATE SUSPENSION AND REVOCATION.....	16
4.4.1 Circumstances of Revocation	16
4.4.2 Who can Request Revocation	17
4.4.3 Procedure of Revocation Request.....	17
4.4.4 Certificate Suspension	17
4.4.5 Who can request suspension	17
4.4.6 Procedure for suspension request.....	17
4.4.7 Limits on Suspension Period	17
4.4.8 CRL Issuance Frequency	18
4.4.9 CRL Checking Requirements for Relying Parties	18
4.4.10 On-line Revocation/Status Checking Availability.....	18
4.4.11 On-line Revocation Checking Requirements.....	18
4.4.12 Other Forms of Revocation Advertisement	18
4.4.13 Variations of the above in case of private key compromise	18
4.5 SECURITY AUDIT PROCEDURES.....	18
4.5.1 Types of Events Audited.....	18
4.5.2 Processing Frequency of Audit Logs.....	18
4.5.3 Retention Period of Audit Logs	19
4.5.4 Protection of Logs.....	19
4.5.5 Backup Procedures.....	19
4.5.6 Accumulation system.....	19
4.6 RECORDS ARCHIVAL	19
4.6.1 Types of Records Archived	19
4.6.2 Retention Period for Archives	19
4.6.3 Protection of Archive.....	19
4.6.4 Archive Backup Procedures.....	19
4.6.5 Archive Collection System	20
4.7 KEY CHANGEOVER.....	20
4.8 COMPROMISE AND DISASTER RECOVERY	20
4.9 CA TERMINATION	20
5. Physical, Procedural and Personnel Security Controls ...	21
5.1 PHYSICAL SECURITY – ACCESS CONTROLS	21
5.1.1 Site Location	21
5.1.2 Physical Access.....	21
5.1.3 Power and Air Conditioning	21
5.1.4 Water Exposures	21
5.1.5 Fire Prevention and Protection.....	21
5.1.6 Media Storage	21
5.1.7 Waste Disposal.....	21

5.1.8 Off-site Backup.....	22
5.2 PROCEDURAL CONTROLS.....	22
5.2.1 Trusted Roles.....	22
5.3 PERSONNEL SECURITY CONTROLS.....	22
5.3.1 Background Checks and Clearance Procedures for CA Personnel.....	22
5.3.2 Background Checks and Security Procedures for other personnel.....	22
5.3.3 Training Requirements and Procedures.....	22
5.3.4 Training Period and Retraining Procedures.....	22
5.3.5 Frequency and Sequence of Job Rotation.....	22
6. Technical Security Controls.....	23
6.1 KEY PAIR GENERATION AND INSTALLATION.....	23
6.1.1 Key pair generation.....	23
6.1.2 Private Key delivery to Entity.....	23
6.1.3 Subscriber Public Key Delivery to PK-Grid-CA.....	23
6.1.4 Public Key delivery to Entity.....	23
6.1.5 CA Public Key delivery to users.....	23
6.1.6 Key Sizes.....	23
6.1.7 Public Key Parameters Generation.....	23
6.1.8 Parameter quality testing.....	24
6.1.9 Hardware/software key generation.....	24
6.1.10 Key Usage Purposes.....	24
6.2 PRIVATE KEY PROTECTION.....	24
6.2.1 Private Key (n out of m) Multi-Person Control.....	24
6.2.2 Private Key Escrow.....	24
6.2.3 Private Key Archival and Backup.....	24
6.3 OTHER ASPECTS OF KEY PAIR MANAGEMENT.....	24
6.4 ACTIVATION DATA.....	24
6.5 COMPUTER SECURITY CONTROLS.....	25
6.5.1 Specific Security Technical Requirements.....	25
6.5.2 Computer Security Rating.....	25
6.6 LIFE CYCLE SECURITY CONTROLS.....	25
6.7 NETWORK SECURITY CONTROLS.....	25
6.8 CRYPTOGRAPHIC MODULE ENGINEERING CONTROLS.....	25
7. Certificate and CRL profile.....	26
7.1 CERTIFICATE PROFILE.....	26
7.1.1 Version.....	26
7.1.2 Certificate Extensions.....	26
7.1.3 Algorithm Object Identifiers.....	26
7.1.4 Name Forms.....	26
7.1.5 Name Constraints.....	27
7.1.6 Certificate Policy Identifier.....	27
7.1.7 Policy Qualifier Syntax and Semantics.....	27
7.2 CRL PROFILE.....	27
7.2.1 Version.....	27
8. Policy Administration.....	28

8.1 SPECIFICATION CHANGE AND PROCEDURES..... 28
8.2 PUBLICATION AND NOTIFICATION PROCEDURES 28
8.3 CPS APPROVAL PROCEDURES 28

1. Introduction

1.1 OVERVIEW

This document is based on the structure suggested by the RFC 2527. It defines the Certification Policy and the Certification Practice Statement of the PK-Grid (Pakistan Grid) Certification Authority (CA) and specifies the minimum requirements and obligations for the issuance and management of certificates. Terms used in this document are explained in the Glossary.

1.2 POLICY IDENTIFICATION

- Document title: '**PK-Grid-CA Certification Policy and Certificate Practice Statement**'
- Version: **1.0.00**
- Document Date: **December 2003.**
- **O.I.D.: OID Needed**
- Expiration: This document is valid until further notice.

1.3 COMMUNITY AND APPLICABILITY

PK-Grid-CA provides PKI services for scientific communities of Pakistan.

1.3.1 Certification Authorities

PK-Grid-CA does not issue certificates to subordinate certification authorities at present.

1.3.2 Registration Authorities

The PK-Grid-CA manages the functions of its Registration Authority. Currently there are following Registration Authorities recognized by PK-Grid-CA; COMSATS, NUST, PAEC. Additional registration authorities may be created by the PK-Grid-CA as required.

1.3.3 End Entities

The PK-Grid-CA will issue certificates to entities, which are based and/or having offices in Pakistan, and are intended for cross-organizational sharing of resources. The focus of these organizations should also be in research and/or education.

1.3.4 Applicability

There are two categories of certificates:

1. Host certificates: authentication and communication encryption.
2. User certificates: authentication, data encryption and communication encryption.

1.3.5 User Restrictions

Certificates issued by the PK-Grid-CA are only valid in the context of the Grid research activities in Pakistan.

Any other usage such as financial transactions is strictly forbidden. The ownership of a PK-Grid certificate does not imply automatic access to any kind of resources.

1.4 CONTACT DETAILS

The PK-Grid-CA is created and managed by the Advanced Scientific Computing group, National Centre for Physics.

The PK-Grid-CA address for operational issues is:

PK-Grid Certification Authority

Advanced Scientific Computing
National Centre for Physics
Quaid-I-Azam University
Islamabad - 45320
Pakistan
Phone: (+92 - 51) 2273545
Fax: (+ 92 -51) 9205753
Email: pkgrid-ca@ncp.edu.pk

The contact person for questions related with document is:

Usman Ahmad Malik

Advanced Scientific Computing
National Centre for Physics
Quaid-I-Azam University
Islamabad - 45320
Pakistan
Phone: (+92 - 51) 2273545
Fax: (+ 92 -51) 9205753
Email: usman@ncp.edu.pk

The contact person for PK-Grid-CA related issues is:

Sajjad Asghar

Advanced Scientific Computing
National Centre for Physics
Quaid-I-Azam University
Islamabad - 45320

Pakistan

Phone: (+92 - 51) 2273545

Fax: (+ 92 -51) 9205753

Email: sajjad@ncp.edu.pk

2. General Provisions

2.1 OBLIGATIONS

2.1.1 PK-Grid-CA Obligations

The PK-Grid-CA is responsible for the following aspects of issuance and management of certificates:

- Issue and publish certificates based on validated requests.
- Accept certification requests validated by the RA.
- Deliver the certificate to end entity.
- Accept revocation requests from RA's or end entities.
- Issue and publish Certificate Revocation Lists (CRLs) according to the rules described in this document.

2.1.2 PK-Grid RA Obligations

The PK-Grid RA is responsible for the following aspects:

- Authenticate entities requesting a certificate according to the procedures described in this document.
- Determine if the person requesting the certificate has the right to have a PK-Grid-CA certificate.
- Send validated certificate requests to PK-Grid-CA.
- Create and send validated revocation requests to the PK-Grid-CA.
- Follow the policies and procedures described in this document.

2.1.3 Subscriber Obligations

In all cases, the PK-Grid-CA shall require the subscriber to:

- Read and accept the policies and procedures published in this document.
- Generate a key pair using a trustworthy system, and take reasonable precautions to prevent any loss, disclosure or unauthorized use of the private key.
- Use a strong passphrase with a minimum length of 15 characters to protect the private key of personal certificates.
- Use the certificate exclusively for authorized and legal purposes, consistent with this Policy.
- Notify the PK-Grid-CA when the certificate is no longer required.
- Notify the PK-Grid-CA when the information in the certificate becomes wrong or inaccurate.

- Instruct the PK-Grid-CA to revoke the certificate promptly upon an actual or suspected loss, disclosure, or other compromise of the subscriber's private key.

2.1.4 Repository Obligations

The PK-Grid-CA is responsible for providing a public repository, accessible through the World Wide Web at <http://www.ncp.edu.pk/pk-grid-ca>

- PK-Grid-CA will publish its public key on the above website.
- PK-Grid-CA will publish on the above website the CRLs as soon as they are issued.

2.1.5 Relaying Party Obligations

A Qualified Relaying Party is required to:

- Authenticate entities requesting a certificate according to the procedures described in this document.
- Determine if the person has the right to have a PK-Grid-CA certificate.
- Send validated certificate requests to PK-Grid-CA.
- Create and send validated revocation requests to the PK-Grid-CA.
- Follow the policies and procedures described in this document.

2.2 LIABILITY

PK-Grid-CA:

- Guarantees only to control the identity of the subjects requesting a certificate or revocation request according to the procedures described in this document; no other liability, neither implicit nor explicit is accepted.
- Is run on a best effort basis and does not give any guarantees about the service security or suitability.
- Will not be held liable for any problems arising from its operation or use made of certificates it issues.
- Denies any financial or any other kind of responsibilities for damages or impairments resulting from its operation.

2.3 FINANCIAL RESPONSIBILITY

PK-Grid-CA will not accept any financial responsibilities.

2.4 INTERPRETATION

2.4.1 Governing Law

The enforceability, construction, interpretation, and validity of this policy shall be governed by the Laws of the Pakistan.

2.4.2 Dispute Resolution Procedures

Legal disputes arising from the operation of the PK-Grid-CA will be resolved according to the Pakistan Law.

2.5 FEES

No fees are charged.

2.6 PUBLICATION AND REPOSITORIES

2.6.1 Publication of CA Information

The PK-Grid-CA publishes the following information through its online repository at <http://www.ncp.edu.pk/pk-grid-ca>:

- The PK-Grid-CA certificate for its signing key.
- Issued host and user certificates that reference this policy.
- The latest CRL.
- A copy of this document which specifies the CP and CPS.
- Other relevant information.

2.6.2 Frequency of Publication

Certificates and new information will be published as soon as available. CRLs will be published as soon as issued and at least every month.

2.6.3 Access Controls

- PK-Grid-CA does not impose any access control restrictions to the information available at its web site, which includes the CA certificate, latest CRL and a copy of this document containing the CP and CPS.
- PK-Grid-CA may impose a more restricted access control policy to the repository at its discretion.
- The PK-Grid-CA web site is maintained in a best effort basis. Excluding maintenance shutdowns and unforeseen failures the site should be available on a 24 hours per day, 7days a week basis.

2.7 COMPLIANCE AUDIT

PK-Grid-CA declares that their practices fully comply with this CPS.

2.8 CONFIDENTIALITY POLICY

2.8.1 Confidential Information Kept by the PK-Grid-CA and RA

The PK-Grid-CA does not keep any confidential information.

2.8.2 Types of Information not considered Confidential

The CA collects the following non-confidential information:

- Subscriber's full name.
- Subscriber's E-mail address.
- Subscriber's organization.
- Subscriber's public key.

2.8.3 Disclosure of Certificate Revocation/Suspension Information

The CA will notify and inform the following entities:

- The subject of the personal certificate.
- The requester of the server certificate.

2.8.4 Release of Information to Law Enforcement Officials

The information collected by the PK-Grid-CA is considered non confidential and therefore will be available to law enforcement officials upon official, written request.

2.8.5 Information that can be revealed as a Part of Civil Discovery

The information collected by the PK-Grid-CA is considered to be non confidential.

2.8.6 Conditions of Disclosure upon owner's request

The information collected by the PK-Grid-CA is considered to be non confidential.

2.8.7 Other Circumstances for Disclosure of Confidential Information

The information collected by the PK-Grid-CA is considered to be non confidential.

2.9 Intellectual Property Rights

The PK-Grid-CA claims no intellectual property rights on issued certificates, practice/policy specifications, names or keys.

3. Identification and Authentication

3.1 INITIAL REGISTRATION

3.1.1 Types of names

The subject names for the certificate applicants shall follow the X.509 standard:

- In case of personal certificate the subject name must include the person's name.
- In case of server certificate the subject name must include the DNS FQDN.

3.1.2 Name Meanings

- The format of a PK-Grid distinguished name is:
"C=PK, O=NCP, OU=ASC, CN=subject-name".
- The common name in the certificate subject must be obtainable from the real name of the subject or from the FQDN of the server.
- The organizationalUnitName OU must be the DNS domain name for the subject's organizational unit within the subject's host institution.

3.1.3 Name Uniqueness

The subject name listed in a certificate shall be unambiguous and unique for all certificates issued by the PK-Grid-CA.

3.1.4 Verification of Key Pair

Not defined.

3.1.5 Authentication of Organization

PK-Grid-CA verifies the Authentication of Organization by checking that:

- The organization is known to be part of a grid-computing project or is a working partner in HEP experiments on recommendation of Regional Centre Manager at NCP.
- The organization is registered and operates in Pakistan. Registration in Pakistan will be validated through proper public authorities.

3.1.6 Authentication of Individual

3.1.6.1 Person requesting a certificate

- The subject must contact personally the CA/RA staff in order to verify his identity and the validity of the request.
- The subject authentication is performed through the presentation of a valid official identification document: Passport; identity card.

3.1.6.2 Host certificate

Requests must be signed with the personal PK-Grid-CA certificate of the corresponding system administrator.

3.2 ROUTINE REKEY

- Rekey before expiration can be accomplished by sending a rekey request signed with the current user certificate.
- Rekey after expiration follows the same authentication procedure as new certificate.

3.3 REKEY AFTER REVOCATION

Revoked or expired certificates shall not be renewed. Applicants without a valid certificate from the PK-Grid-CA shall be re-authenticated by the RA on certificate application, just as with a first time application.

3.4 REVOCATION REQUESTS

Certificate revocation requests should be submitted by:

- Email sent to pkgrid-ca@ncp.edu.pk signed with a valid PK-Grid-CA certificate.
- When e-mail is not an option, the request will be authenticated using the procedure described in section 3.1.6.

4. Operational Requirements

4.1 CERTIFICATE APPLICATIONS

The necessary provisions that must be followed in any certificate application request to the PK-Grid-CA are:

- The subject must be an acceptable end user entity, as defined by this Policy.
- The request must obey the PK-Grid-CA distinguished name scheme.
- The distinguished name must unambiguous and unique.
- The key must have at least 1024 bits.

The default validation period is one (1) year.

Certification requests may also be submitted via signed e-mail to pkgrid-ca@ncp.edu.pk

4.2 CERTIFICATE ISSUANCE

The following requirements must be met for a certificate to be issued:

- The subject authentication must be successful.
- The maximum validity period for a certificate must be 1 year.

The subject will be notified by e-mail about the certificate issuance or rejection. In the case of rejection the e-mail will state the reason.

4.3 CERTIFICATE ACCEPTANCE

Not defined.

4.4 CERTIFICATE SUSPENSION AND REVOCATION

4.4.1 Circumstances of Revocation

A certificate will be revoked in the following circumstances:

- The subject of the certificate has ceased his relation with the PK-Grid projects.
- The subject does not require the certificate any more.
- The private key has been lost or is suspected to be compromised.
- The information in the certificate is wrong or inaccurate.
- The system to which the certificate has been issued has been retired.

- The subject has failed to comply with the rules of this policy.

4.4.2 Who can Request Revocation

The revocation of the certificate can be requested by:

- The certificate subscriber.
- Any other entity presenting proof of knowledge of the private key compromise or of the modification of the subscriber's data.
- The PK-Grid-CA.

4.4.3 Procedure of Revocation Request

The entity requesting the certificate must send the revocation request by signed e-mail to the PK-Grid-CA/RA. If this is not possible the CA/RA must be contacted directly. Authentication can be performed as described in 3.1.6.

4.4.3.1 Repository/CRL Update

The CRL or certificate status database in the repository, as applicable, shall be updated immediately after revocation. All revocation requests and the resulting actions taken by the PK-Grid-CA shall be archived.

4.4.4 Certificate Suspension

Not defined.

4.4.5 Who can request suspension

Not defined.

4.4.6 Procedure for suspension request

Not defined.

4.4.7 Limits on Suspension Period

Not defined.

4.4.8 CRL Issuance Frequency

CRLs are issued after every certificate revocation or at least every month.

4.4.9 CRL Checking Requirements for Relying Parties

Download the CRL at least once a day and implement its restrictions while validating certificates.

4.4.10 On-line Revocation/Status Checking Availability

Not defined.

4.4.11 On-line Revocation Checking Requirements

Not defined.

4.4.12 Other Forms of Revocation Advertisement

Not defined.

4.4.13 Variations of the above in case of private key compromise

Not defined.

4.5 SECURITY AUDIT PROCEDURES

4.5.1 Types of Events Audited

- Boots and shutdowns of the equipment.
- Interactive system logins.
- Requests for certificates.
- Identity verification procedures.
- Certificate issuing.
- Requests for revocation.
- CRL issuing.

4.5.2 Processing Frequency of Audit Logs

Audit logs will be analyzed at least once per month.

4.5.3 Retention Period of Audit Logs

Audit logs will be retained for a minimum of three (3) years.

4.5.4 Protection of Logs

Only authorized PK-Grid-CA personnel is allowed to view and process audit logs. Audit logs are copied to an offline medium.

4.5.5 Backup Procedures

Audit logs are copied to an offline medium, which is safely stored.

4.5.6 Accumulation system

The audit log accumulation system is internal to the PK-Grid-CA.

4.6 RECORDS ARCHIVAL

4.6.1 Types of Records Archived

The following data and files will be archived by the PK-Grid-CA:

- All certificate requests (including certification, revocation and suspension).
- All issued certificates and all issued CRLs.
- All the email messages sent and received by the PK-Grid-CA and RA.

4.6.2 Retention Period for Archives

Logs will be kept for a minimum of three (3) years.

4.6.3 Protection of Archive

Records are backed up on removable media, which are safely stored.

4.6.4 Archive Backup Procedures

See section 4.6.3

4.6.5 Archive Collection System

The archive collection system is internal to the PK-Grid-CA.

4.7 KEY CHANGEOVER

Input Needed

4.8 COMPROMISE AND DISASTER RECOVERY

If the PK-Grid-CA private key is destroyed, compromised or suspected to be, the PK-Grid-CA will:

- Notify subscribers and other relaying parties.
- Terminate the issuance and distribution of certificates and CRLs.
- Notify relevant security contacts.

4.9 CA TERMINATION

Upon termination the PK-Grid-CA will:

- Notify subscribers and Relaying Parties.
- Terminate the issuance and distribution of certificates and CRLs.
- Notify relevant security contacts.
- Notify widely as possible the end of the service.

5. Physical, Procedural and Personnel Security Controls

5.1 PHYSICAL SECURITY – ACCESS CONTROLS

5.1.1 Site Location

The PK-Grid-CA is located at Quaid-I-Azam University Campus, Islamabad, Pakistan.

5.1.2 Physical Access

Physical access to the PK-Grid-CA is restricted to authorized personnel.

5.1.3 Power and Air Conditioning

The building has an air conditioning system and the CA machines are connected to an UPS system.

5.1.4 Water Exposures

No Stipulation.

5.1.5 Fire Prevention and Protection

No Stipulation.

5.1.6 Media Storage

The PK-Grid-CA key and Back-up copies of PK-Grid-CA related information is kept in several removable storage media.

5.1.7 Waste Disposal

Waste carrying potential confidential information, such as old floppy disks, are physically destroyed before being trashed.

5.1.8 Off-site Backup

No off-site backups are currently performed.

5.2 PROCEDURAL CONTROLS

5.2.1 Trusted Roles

Not defined.

5.3 PERSONNEL SECURITY CONTROLS

5.3.1 Background Checks and Clearance Procedures for CA Personnel

PK-Grid-CA personnel are recruited from the National Centre for Physics.

5.3.2 Background Checks and Security Procedures for other personnel

No other personnel are authorized to access the PK-Grid-CA facilities without the physical presence of PK-Grid-CA personnel.

5.3.3 Training Requirements and Procedures

Not defined.

5.3.4 Training Period and Retraining Procedures

Not defined.

5.3.5 Frequency and Sequence of Job Rotation

Job rotation is not performed.

6. Technical Security Controls

6.1 KEY PAIR GENERATION AND INSTALLATION

6.1.1 Key pair generation

Each subscriber must generate its own key pair. The PK-Grid-CA does not generate private keys for subjects. The private key should not be known by other than the authorized user of the key pair.

6.1.2 Private Key delivery to Entity

The PK-Grid-CA does not generate private keys hence does not deliver private keys.

6.1.3 Subscriber Public Key Delivery to PK-Grid-CA

Public keys are delivered by encrypted e-mail, SSL over http.

6.1.4 Public Key delivery to Entity

Public keys are delivered by encrypted e-mail by PK-Grid-CA personnel.

6.1.5 CA Public Key delivery to users

PK-Grid-CA certificate can be downloaded from the PK-Grid-CA web site at:
<http://www.ncp.edu.pk/pk-grid-ca>

6.1.6 Key Sizes

1. The minimum key length for a personnel or server certificate is 1024 bit.
2. The PK-Grid-CA key length is 2048 bits.

6.1.7 Public Key Parameters Generation

Not defined.

6.1.8 Parameter quality testing

Not defined.

6.1.9 Hardware/software key generation

Not defined.

6.1.10 Key Usage Purposes

Keys may be used for authentication, non-repudiation, data encipherment, message integrity, and session establishment. Certificates and CRLs are signed by the PK-Grid-CA private key.

6.2 PRIVATE KEY PROTECTION

6.2.1 Private Key (n out of m) Multi-Person Control

Not defined.

6.2.2 Private Key Escrow

Not defined.

6.2.3 Private Key Archival and Backup

The PK-Grid-CA private key is kept encrypted in multiple copies in several removable storage media in safe places. The passphrase is in a sealed envelope kept in a safe place.

6.3 OTHER ASPECTS OF KEY PAIR MANAGEMENT

The PK-Grid-CA private key has currently a validity of three (3) years. It will expire on 1st January 2007.

6.4 ACTIVATION DATA

The PK-Grid-CA private key is protected by a passphrase with a minimum length of 15 characters.

6.5 COMPUTER SECURITY CONTROLS

6.5.1 Specific Security Technical Requirements

- The operating systems of CA/RA computers are maintained at a high level of security by applying all the relevant patches.
- CA systems configuration is reduced to the bare minimum.
- The signing machine is kept powered off between uses.

6.5.2 Computer Security Rating

Not defined.

6.6 LIFE CYCLE SECURITY CONTROLS

Not defined.

6.7 NETWORK SECURITY CONTROLS

- The CA signing machine is kept off-line.
- CA/RA machines other than the signing machine are protected by a firewall.

6.8 CRYPTOGRAPHIC MODULE ENGINEERING CONTROLS

Not defined.

7. Certificate and CRL profile

7.1 CERTIFICATE PROFILE

7.1.1 Version

All certificates that reference this Policy will be issued in the X.509 version 3 format and will include a reference to the O.I.D. of this Policy within the appropriate field.

7.1.2 Certificate Extensions

- Basic constraints (Critical):
Not a CA.
- Key usage (Critical):
Digital signature, non-repudiation, key encipherment, data encipherment.
- Subject key identifier.
- Authority key identifier.
- Subject alternative name.
- Issuer alternative name.
- CRL distribution points.
- Certificate policies.
- Netscape cert type.
- Netscape revocation URL.

7.1.3 Algorithm Object Identifiers

Not defined.

7.1.4 Name Forms

Issuer:

C=PK,
O=NCP,
CN=ncp.edu.pk

Subject:

C=PK,
O=<ORG>,
OU=<UNIT>,
CN=<SUBJECT-NAME>

7.1.5 Name Constraints

Subject attribute constraints:

countryName:	Must be "PK".
OrganizationName:	Must be one of the RAs.
organizationalUnitName:	Must be the DNS domain name for the subject's organizational unit within the subject's host institution.
commonName:	First name and last name or DNS FQDN of the subject.

7.1.6 Certificate Policy Identifier

PK-Grid-CA identifies this policy with the object identifier (O.I.D.): **OID Needed**

7.1.7 Policy Qualifier Syntax and Semantics

Not defined.

7.2 CRL PROFILE

7.2.1 Version

All CRLs will be issued in X.509 version 3 format.

8. Policy Administration

8.1 SPECIFICATION CHANGE AND PROCEDURES

Relevant changes will be made as widely available as possible.

8.2 PUBLICATION AND NOTIFICATION PROCEDURES

The PK-Grid-CA policy is available at <http://www.ncp.edu.pk/pk-grid-ca>

8.3 CPS APPROVAL PROCEDURES

Not defined.