

Il bosone di Higgs e la nostra vita

Fabiola Gianotti
(CERN, Physics Department)

2013 Physics
Nobel Prize




CNAO

CERN : European Organization for Nuclear Research

The world's largest particle physics laboratory

Almost 60 years of:

- fundamental research and discoveries (and Nobel prizes ...)
- technological innovation and technology transfer to society (e.g. the World Wide Web)
- training and education (young scientists, school students and teachers)
- bringing the world together (11000 scientists from > 60 countries)



CERN was founded 1954: 12 European States (One of the founding fathers: Edoardo Amaldi) Today: 21 Member States



Member States: Austria, Belgium, Bulgaria, the Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, **Israel**, Italy, the Netherlands, Norway, Poland, Portugal, Slovakia, Spain, Sweden, Switzerland and the United Kingdom

Observers to Council: India, Japan, Russia, Turkey, United States of America; European Commission and UNESCO


~ 2300 staff

> 11000 users

Budget (2013) ~1000 MCHF: each Member State contributes in proportion to its income: **Italy: ~ 11% (~ 80M€ → 1 cappuccino/abitante), return: +10%**

About 11000 users from > 60 countries

Distribution of All CERN Users by Location of Institute on 14 January 2014



MEMBER STATES

Austria	75
Belgium	152
Bulgaria	49
Czech Republic	208
Denmark	50
Finland	93
France	835
Germany	1185
Greece	98
Hungary	59
Israel	49
Italy	1337
Netherlands	174
Norway	86
Poland	186
Portugal	113
Slovakia	55
Spain	293
Sweden	84
Switzerland	330
United Kingdom	769

6280

OBSERVERS

India	153
Japan	217
Russia	890
Turkey	110
USA	1724

3094

CANDIDATE FOR ACCESSION

Romania	86
---------	----

ASSOCIATE MEMBER IN THE PRE-STAGE TO MEMBERSHIP

Serbia	30
--------	----


OTHERS

China	122	Iran	20	Pakistan	18
China (Taipei)	71	Ireland	5	Peru	2
Colombia	10	Korea	105	Saudi Arabia	3
Croatia	23	Lithuania	13	Slovenia	25
Cuba	3	Madagascar	3	South Africa	32
Cyprus	13	Malaysia	8	Thailand	8
Belarus	24	Mexico	46	T.F.Y.R.O.M.	1
Brazil	116	Montenegro	1	Ukraine	24
Canada	147	Morocco	6		
Chile	8	New Zealand	5		

982


CERN's primary mission is SCIENCE

Study the elementary particles (e.g. the building blocks of matter: electrons and quarks) and the forces that control their behaviour at the most fundamental level



Particle physics at modern accelerators allows us to study the fundamental laws of nature on scales down to smaller than 10^{-18} m
→ insight also into the structure and evolution of the Universe
→ from the very small to the very big ...

Evolution of the Universe



To study the elementary particles and their interactions:

We accelerate two beams of particles (e.g. protons) close to the speed of light and make them collide

The colliding protons break into their fundamental constituents (e.g. quarks)
These constituents interact at high energy:
→ study the way fundamental matter behave
→ (new) heavy particles can be produced in the collision ($E=mc^2$). The higher the accelerator energy, the heavier the produced particles can be. These particles then decay into lighter (known) particles: electrons, photons, etc
→ reproduce the temperature ($\sim 10^{16}$ K) of the Universe a few instants (10^{-11} s) after the Big Bang


prot
beam




colliding
protons

interacting
quarks

production
and decay of
a new particle



Collision products detected by high-tech powerful detectors surrounding the collision point



The Large Hadron Collider (LHC) at CERN

the most powerful accelerator

.... and also

the most high-tech and complex detectors

the most advanced computing infrastructure

the most innovative concepts and technologies


(cryogenics, new materials, electronics, data transfer and storage, etc. etc...)

the widest international collaborations


ever achieved in accelerator particle physics.

One of the most ambitious projects in science in general.

- ❑ > 20 years from concept to start of operation
- ❑ Operation started 20 November 2009
- ❑ First data-taking period: April 2010-February 2013
→ a new era in fundamental science with the exploration of a new energy frontier




The LHC is a 27 km ring, 100 m below ground, across France/Switzerland
 2010-2013: two high-energy proton beams have been circulating in opposite directions, colliding at 4 points, where 4 big experiments had been installed.
Unprecedented collision energy: 4 times larger than the previous collider (Tevatron/Fermilab)
 Starting in 2015: reach design collision energy of ~14 TeV



8 TeV
 (1 TeV = 10^{-7} Joule)


LHC 27 km ring
 (proton beams)

Most challenging component: 1232 high-tech superconducting magnets, providing 8.3 T field (to bend 7 TeV beams inside a 27 km ring).
 Made of 7600 km of NbTi superconducting cable (1/3 built by Ansaldo)





The 15-m long LHC cryodipole

On 4th July 2012, ATLAS and CMS announced the discovery of a new particle (Higgs boson)



Italy, through Istituto Nazionale di Fisica Nucleare (INFN), Universities, and industry, has contributed in a very crucial way to the four experiments and the accelerator






LHC detectors: a big jump in concepts and technologies


Giant ultra-fast "digital camera"

- ❑ Size (length 45m, diameter 25m): to measure and absorb high-energy particles
- ❑ 10^8 sensors (providing "individual signals"): to track ~ 1000 particles per event and reconstruct their trajectories with $\sim 10 \mu\text{m}$ precision ($1 \mu\text{m} = 10^{-6} \text{ m}$)
- ❑ Fast response ($\sim 50 \text{ ns}$, $1 \text{ ns} = 10^{-9} \text{ s}$): 40 million beam-beam collisions per second



~ 3000 scientists from 177 Institutions from 38 Countries

Age distribution of the ATLAS population



A few additional numbers

Number of turns of the LHC ring made by protons in one second: ~ 11000

Number of beam-beam collisions per second at design operation: 40 million
Beam cross section at the collision point: $16 \mu\text{m}$ (~ 4 times smaller than that of a typical a human hair)

Magnets work at 4.5 K (~ -269°C) in a 10 m diameter tunnel

Energy stored in the beams: ~ 360 MJ (~ 100 tons TNT) moving at 12 knots

The CMS experiment is 15 m high, 10 m wide, and 15 m deep (larger than the Tour Eiffel)

3000 km of cables used to transfer the signals from the ATLAS detector to the control rooms


Each LHC experiment produces ~ 10 PB of data per year (1 PB=10⁶ GB)
This corresponds to ~ 20 million DVD (a 20 km stack ...)

Cost: ~ 8000 MCHF


Etc. etc.

WHY ???

The elementary particles and their interactions are described by a very successful theory: the **Standard Model**. All particles foreseen by the SM have been observed, and the SM predictions have been verified with extremely high precision over the last 35 years by experiments at CERN and other labs all over the world



Particles and forces



Several outstanding questions in fundamental physics

What is the origin of the elementary particle masses ?

Related to the Higgs boson ✓

ATLAS, CMS

What is the nature of the Universe dark matter ?

ATLAS, CMS

Why is there so little antimatter in the Universe ?

(Nature's favouritism allowed us to exist ...)

LHCb

What are the features of the primordial plasma permeating the Universe $\sim 10 \mu\text{s}$ after the Big Bang ?

ALICE

What happened in the first moments of the Universe life (10^{-11} s after the Big Bang) ?

ATLAS, CMS


Are there other forces in addition to the known four ?
Are there additional (microscopic) space dimensions ?

ATLAS, CMS

Etc. etc.


LHC built to address these and other fundamental questions

What is the origin of the particle masses ?



Photon is massless (pure energy), W and Z bosons have x 100 proton mass
 Mass of top quark (heaviest elementary particle observed) ≈ mass of Gold atom
 Electron mass is ~350000 times smaller
WHY ???


Proposed explanation (Brout, Englert, Higgs et al., 1964),
 “Brout-Englert-Higgs mechanism”: origin of masses
 ~ 10⁻¹¹ s after the Big Bang, when “Higgs field” became active → particles acquired masses proportional to the strength of their interactions with the Higgs field



Consequences: existence of a **Higgs boson**
 This particle has been searched for > 30 years at accelerators all over the world
 → find

The 1st link to our life



Note: world without the BEH mechanism would be very strange
 Atoms may not exist, and the Universe would be very different



What did we observe ?

Once produced the Higgs boson is expected to decay into known particles, for instance into two photons \rightarrow looked at the $\gamma\gamma$ spectrum in our data

$\gamma\gamma$ data




Peak ("resonance") at $m_{\gamma\gamma}$ around 125 GeV ($\sim 130 \times$ proton mass) indicates the production of a (new) heavy particle



What did we observe ?

Once produced the Higgs boson is expected to decay into known particles, for instance into two photons \rightarrow looked at the $\gamma\gamma$ spectrum in our data

$\gamma\gamma$ data



It was not easy to find: one detectable Higgs particle produced every 10^{12} pp collisions \rightarrow required ingenuity and a huge amount of meticulous experimental work (in large part made by young people)





Peak ("resonance") at $m_{\gamma\gamma}$ around 125 GeV ($\sim 130 \times$ proton mass) indicates the production of a (new) heavy particle




Will the Higgs boson change our life ? It did already !

Extreme performance required in particle and nuclear physics → cutting-edge technologies developed at CERN and collaborating Institutes, and then transferred to society.

Applications: medical imaging (e.g. PET), cancer therapy, materials science, airport scanners, cargo screening, food sterilization, nuclear waste transmutation, analysis of historical relics, etc. ...not to mention the GRID-based computing and the WEB ..




Hadron Therapy



Accelerating particle beams
~30'000 accelerators worldwide
~17'000 used for medicine (imaging, therapy)

> 100000 patients treated worldwide (45 facilities)
Italy: CNAO: Centro Nazionale Adroterapia Oncologica, Pavia




Detecting particles



Imaging


e.g. PET scanner



CNAO, Pavia

Inaugurato Febbraio 2010
Pazienti trattati con protoni e ioni Carbonio

The 2nd link to our life



Italy and CERN

Italy is a founding member of CERN with a strong tradition in particle physics
Edoardo Amaldi: one of the founding fathers of CERN and interim Secretary General
Two Directors General from Italy: Carlo Rubbia and Luciano Maiani

INFN brings together ~ 5000 researchers.

About 600 Italian physicists have collaborated to the realisation of the LHC.

Italian industries have constructed extremely important high-tech components for the LHC

E.g. Ansaldo was one of the three contractors building magnets for the LHC and a key contractor for the CMS coil (the world's largest superconducting magnet)

Nobel Prizes related to advance of Particle Physics:

1938: E. Fermi

1984: C. Rubbia




CERN and the LHC

- Seeking answers to fundamental questions about elementary particles and the Universe.
- Advancing the frontiers of technology (also to the benefit of society)
- Training (students, high-school teachers, young scientists)
- Bringing nations together through science
- A new era of discoveries has started with the exploration of an unprecedented energy scale at the LHC and **the observation of a Higgs boson: a big step forward in fundamental science**

Two final remarks:


- Fundamental knowledge is the fuel of progress
- Knowledge, as art, is among the highest expressions of human beings as clever beings

“Fatti non foste a viver come bruti ma per seguir virtute et conoscenza”, Dante Alighieri (1265-1321), Divina Commedia, Inferno, Canto XXVI



SPARES

Ritorni industriali assoluti Italia




The Worldwide LHC Computing Grid

Tier-0
(CERN and Hungary):
data recording,
reconstruction and
distribution

Tier-1: permanent
storage, re-
processing,
analysis

Tier-2: Simulation,
end-user analysis



nearly 160 sites,
35 countries

~250'000 cores

173 PB of storage

> 2 million jobs/day

10 Gb links

WLCG:


An International collaboration to distribute and analyse LHC data

Integrates computer centres worldwide that provide computing and storage resource into a single infrastructure accessible by all LHC physicists




Birth and evolution of a signal

CMS: $H \rightarrow 4l$




ATLAS: $H \rightarrow l\nu l\nu$




The Higgs mechanism ... as exemplified by Prof. David Miller


Imagine a room full of people quietly chattering ... this is like space filled only with the Higgs field ...



a well known actor walks in, creating a disturbance as he moves across the room, and attracting a cluster of admirers with each step ... the actor is like a particle traversing the Higgs field



this increase his resistance to movement, in other words, he acquires mass, just like a particle moving through the Higgs field ...



... Imagine now that a rumour crosses the room ...



it creates the same kind of clustering, but this time among the people in the room. In this analogy, these clusters are the Higgs particle.

