



Enabling Grids for E-science

# Introduction to EGEE

*Roberto Barbera*

*University of Catania and INFN*



*gLite Tutorial at the First EGEE User Forum*

*CERN, 27-28.02.2006*

[www.eu-egee.org](http://www.eu-egee.org)




- Science is becoming increasingly **digital** and needs to deal with increasing amounts of data
- **Simulations** get ever more detailed
  - Nanotechnology – design of new materials from the molecular scale
  - Modelling and predicting complex systems (weather forecasting, river floods, earthquake)
  - Decoding the human genome
- **Experimental Science** uses ever more sophisticated **sensors** to make precise measurements
  - Need high statistics
  - Huge amounts of data
  - Serves user communities around the world




Researchers perform their activities regardless geographical location, interact with colleagues, share and access data

The Grid: networked data processing centres and "middleware" software as the "glue" of resources.




Scientific instruments and experiments provide huge amount of data

- Large amount of data produced in a few places: CERN, FNAL, KEK...
- Large worldwide organized collaborations (i.e. LHC CERN experiments) of computer-savvy scientists
- Computing and data management resources distributed world-wide owned and managed by many different entities
- **Large Hadron Collider (LHC) at CERN in Geneva Switzerland:**
  - One of the most powerful instruments ever built to investigate matter




- **Large Hadron Collider (LHC):**


- four experiments:
  - ALICE
  - ATLAS
  - CMS
  - LHCb
- 27 km tunnel
- Start-up in 2007





*The Big Bang*




*The Little Bang*




*Pb+Pb @ LHC (5.5 A TeV)*



Starting from  
this event




Looking for  
this “signature”




→ **Selectivity: 1 in  $10^{13}$**

(Like looking for a needle in 20 million haystacks)


ATLAS




CMS



*~10-15 PetaBytes /year*  
*~10<sup>8</sup> events/year*  
*~10<sup>3</sup> batch and interactive users*




*Alice*





**10-15 Petabytes  
~20.000.000 CD-  
ROM**




**10 times the  
Eiffel Tower  
~3000 m**

- Integrating computing and storage capacities at major computer centres
- 24/7 access, independent of geographic location
  
- Effective and seamless collaboration of dispersed communities, both scientific and commercial
- Ability to use thousands of computers for a wide range of applications
  
- Best cost effective solution for HEP LHC Computing Grid project (LCG) and from this the close integration of LCG and EGEE projects



Build a large-scale production grid service to:

- Underpin European science and technology
- Link with and build on national, regional and international initiatives
- Foster international cooperation both in the creation and the use of the e-infrastructure



- **Objectives**

- consistent, robust and secure service grid **infrastructure**
- improving and maintaining the **middleware**
- attracting **new resources and users** from industry as well as science

- **Structure**

- 71 leading institutions in 27 countries, federated in regional Grids
- leveraging national and regional grid activities worldwide
- funded by the EU with ~32 M Euros for first 2 years starting 1st April 2004



- **48 % service activities (Grid Operations, Support and Management, Network Resource Provision)**
- **24 % middleware re-engineering (Quality Assurance, Security, Network Services Development)**
- **28 % networking (Management, Dissemination and Outreach, User Training and Education, Application Identification and Support, Policy and International Cooperation)**



**Emphasis in EGEE is on operating a production grid and supporting the end-users**

- **Production service**
  - Based on the LCG-2 service
  - With new resource centres and new applications encouraged to participate
  - Stable, well-supported infrastructure, running only well-tested and reliable middleware


- **Pre-production service (14 sites)**
  - Run in parallel with the production service
  - Access to new versions of the middleware
  - Applications test-bed



- **GILDA testbed**
  - <https://gilda.ct.infn.it/testbed.html>
  - Complete suite of Grid elements and applications
    - Testbed, CA, VO, monitoring
  - Everyone can register and use GILDA for **training and testing**



In collaboration with LCG




NorduGrid



Grid3/OSG





RC = Resource Centre  
 ROC = Regional Operations Centre  
 CIC = Core Infrastructure Centre  
 OMC = Operations Management Centre

- The *grid* is flat, but
- **Hierarchy of responsibility**
  - Essential to scale the operation
- **CICs act as a single Operations Centre**
  - Operational oversight (*grid operator*) responsibility
  - rotates weekly between CICs
  - Report problems to ROC/RC
  - ROC is *responsible* for ensuring problem is resolved
  - ROC oversees regional RCs
- **ROCs responsible for organising the operations in a region**
  - Coordinate deployment of middleware, etc
- **CERN coordinates sites not associated with a ROC**




- Operation of Production Service: real-time display of grid operations
- Accounting Information
- Selection of Monitoring tools:

- GIS Monitor + Monitor Graphs
- Sites Functional Tests
- GOC Data Base
- Scheduled Downtimes




- Live Job Monitor
- Gridlce – VO + Fabric View
- Certificate Lifetime Monitor



- **VOs and users on the production service**
  - Active VOs:
    - HEP: 4 LHC, D0, CDF, Zeus, Babar
    - Biomed
    - ESR (Earth Sciences)
    - Computational chemistry
    - Magic (Astronomy)
    - EGEODE (Geo-Physics)
    - Planck
    - Fusion
    - Archaeogrid
  - Registered users in these VO: 1000
  - + Many local VOs, supported by their ROCs
  
- **Scale of work performed:**
  - An example of LHC Data challenges:
    - >1 M SI2K years of CPU time (~1000 CPU years)
    - 400 TB of data generated, moved and stored
    - 1 VO achieved ~4000 simultaneous jobs (~4 times CERN grid capacity)

Aggregate Accounting Plot for EGEE

alice  
 atlas  
 babar



From Accounting data:

→ ~3 million jobs in 2005 so far

→ Sustained daily rates (per month Jan – Nov 2005):

[2185, 2796, 7617, 10312, 11151, 9247, 9218, 11445, 10079, 11124, 9491]



→ ~8.2 M kSI2K.cpu.hours → >1000 cpu years

↪ Real usage is higher as accounting data was not published from all sites until recently

- **High-Energy Physics (HEP)**
  - Provides computing infrastructure (LCG)
  - Challenging:
    - thousands of processors world-wide
    - generating petabytes of data
    - ‘chaotic’ use of grid with individual user analysis (thousands of users interactively operating within experiment VOs)




- **Biomedical Applications**
  - Similar computing and data storage requirements
  - Major additional challenge:
    - security & privacy**




- **Fundamental activity in preparation of LHC start up**
  - Physics
  - Computing systems
- **Examples:**
  - **LHCb: ~700 CPU/years in 2005 on the EGEE infrastructure**
  - **ATLAS: over 10,000 jobs per day**
    - Comprehensive analysis: see S.Campana et al., “Analysis of the ATLAS Rome Production experience on the EGEE Computing Grid”, e-Science 2005, Melbourne, Australia
  - A lot of activity in all involved applications (including as usual a lot of activity within non-LHC experiments like BaBar, CDF and D0)

CPU used: 6,389,638 h  
Data Output: 77 TB




Site	CPU %	Site	CPU %
DIRAC.Barcelona.es	0.214%	DIRAC.Zurich.ch	0.003%
DIRAC.CERN.ch	0.571%	LCG.ACAD.bg	0.106%
DIRAC.CracowAgu.pl	0.001%	LCG.Barcelona.es	0.281%
DIRAC.LHCbONLINE.ch	0.779%	LCG.Bologna.it	0.032%
DIRAC.PNPI.ru	0.000%	LCG.CESGA.es	0.528%
DIRAC.ScotGrid.uk	3.068%	LCG.CNAF-GRIDIT.it	0.012%
DIRAC.Zurich.ch	0.756%	LCG.CNB.es	0.385%
LCG.BHAM-HEP.uk	0.705%	LCG.CSCS.ch	0.282%
LCG.Bari.it	1.357%	LCG.CY01.cy	0.103%
LCG.CERN.ch	10.960%	LCG.Cambridge.uk	0.010%
LCG.CGG.fr	0.676%	LCG.Durham.uk	0.476%
LCG.CNAF.it	13.196%	LCG.FZK.de	1.708%
LCG.CPPM.fr	0.242%	LCG.Firenze.it	1.047%
LCG.CY01.cy	0.103%	LCG.GR-02.gr	0.226%
LCG.Cambridge.uk	0.010%	LCG.GR-04.gr	0.056%
LCG.Durham.uk	0.476%	LCG.HPC2N.se	0.001%
LCG.FZK.de	1.708%	LCG.IFCA.es	0.022%
LCG.Firenze.it	1.047%	LCG.IN2P3.fr	4.143%
LCG.GR-02.gr	0.226%	LCG.IPP.bg	0.033%
LCG.GR-04.gr	0.056%	LCG.Imperial.uk	0.891%
LCG.HPC2N.se	0.001%	LCG.JINR.ru	0.472%
LCG.IFCA.es	0.022%	LCG.Lancashire.uk	6.796%
LCG.IN2P3.fr	4.143%	LCG.Manchester.uk	0.285%
LCG.IPP.bg	0.033%	LCG.Montreal.ca	0.069%
LCG.Imperial.uk	0.891%	LCG.NSC.se	0.465%
LCG.JINR.ru	0.472%	LCG.Oxford.uk	1.214%
LCG.Lancashire.uk	6.796%	LCG.PNPI.ru	0.278%
LCG.Manchester.uk	0.285%	LCG.Pisa.it	0.121%
LCG.Montreal.ca	0.069%	LCG.RAL-HEP.uk	0.938%
LCG.NSC.se	0.465%	LCG.RHUL.uk	2.168%
LCG.Oxford.uk	1.214%	LCG.Sheffield.uk	0.094%
LCG.PNPI.ru	0.278%	LCG.Toronto.ca	0.343%
LCG.Pisa.it	0.121%	LCG.UCL-CCC.uk	1.455%
LCG.RAL-HEP.uk	0.938%		
LCG.RHUL.uk	2.168%		
LCG.Sheffield.uk	0.094%		
LCG.Toronto.ca	0.343%		
LCG.UCL-CCC.uk	1.455%		
DIRAC.Zurich-spz.ch	0.003%		
LCG.ACAD.bg	0.106%		
LCG.Barcelona.es	0.281%		
LCG.Bologna.it	0.032%		
LCG.CESGA.es	0.528%		
LCG.CNAF-GRIDIT.it	0.012%		
LCG.CNB.es	0.385%		
LCG.CSCS.ch	0.282%		
LCG.CY01.cy	0.103%		
LCG.Cambridge.uk	0.010%		
LCG.Durham.uk	0.476%		
LCG.FZK.de	1.708%		
LCG.Firenze.it	1.047%		
LCG.GR-01.gr	0.349%		
LCG.GR-03.gr	0.171%		
LCG.GRNET.gr	1.170%		
LCG.ICL.ro	0.088%		
LCG.IHEP.su	1.245%		
LCG.INTA.es	0.076%		
LCG.ITEP.ru	0.792%		
LCG.Iowa.us	0.287%		
LCG.KFKI.hu	1.436%		
LCG.Legnano.it	1.569%		
LCG.Milano.it	0.770%		
LCG.NIKHEF.nl	5.140%		
LCG.Napoli.it	0.175%		
LCG.PIC.es	2.366%		
LCG.Padova.it	2.041%		
LCG.QMUL.uk	6.407%		
LCG.RAL.uk	9.518%		
LCG.SARA.nl	0.675%		
LCG.Torino.it	1.455%		
LCG.Triumf.ca	0.105%		
LCG.USC.es	1.853%		


LHCb




- **Infrastructure**
  - ~3.000 CPUs
  - ~12 TB of disk
  - in 9 countries
  
- **>50 users in 7 countries working with 12 applications**
  
- **18 research labs**



- ~ 70 users, 9 countries
- > 12 Applications (medical image processing, bioinformatics)
- ~3000 CPUs, ~12 TB disk space
- ~100 CPU years, ~ 500K jobs last 6 months





- **GPS@: Grid Protein Sequence Analysis**

- **Gridified version of NPSA web portal**

- Offering proteins databases and sequence analysis algorithms to the bioinformaticians (3000 hits per day)
- Need for large databases and big number of short jobs

- **Objective:** increased computing power

- **Status:** 9 bioinformatic softwares gridified

- **Grid added value:** open to a wider community with larger bioinformatic computations



- **xmipp\_MLrefine**

- **3D structure analysis of macromolecules**

- From (very noisy) electron microscopy images
- Maximum likelihood approach to find the optimal model

- **Objective:** study molecule interaction and chem. properties


- **Status:** algorithm being optimised and ported to 3D

- **Grid added value:** parallel computation on different resources of independent jobs






- Demonstrate the relevance and the impact of the grid approach to address Drug Discovery for neglected diseases




Duration: 12 – 15 years, Costs: 500 - 800 million US \$


- Predict how small molecules, such as substrates or drug candidates, bind to a receptor of known 3D structure



Parameter /  
scoring settings




- **Significant biological parameters**
  - two different molecular docking applications (Autodock and FlexX)
  - about one million virtual ligands selected
  - target proteins from the parasite responsible for malaria
- **Significant numbers**
  - Total of about 46 million ligands docked in 6 weeks
  - 1TB of data produced
  - Up 1000 computers in 15 countries used simultaneously corresponding to about 80 CPU years



## WISDOM open day

**December 16th, 2005, Bonn (Germany)**

**Discuss Data Challenge results**  
**Prepare next steps towards a malaria Grid (EGEE-II, Embrace, Bioinfogrid)**  
**Information: <http://wisdom.eu-egEE.fr>**



- **GATE**

- **Radiotherapy planning**

- Improvement of precision by Monte Carlo simulation
    - Processing of DICOM medical images

- **Objective:** very short computation time compatible with clinical practice

- **Status:** development and performance testing

- **Grid Added Value:** parallelisation reduces computing time



- **CDSS**

- **Clinical Decision Support System**


- Assembling knowledge databases
    - Using image classification engines

- **Objective:** access to knowledge databases from hospitals

- **Status:** from development to deployment, some medical end users

- **Grid Added Value:** ubiquitous, managed access to distributed databases and engines






- **SiMRI3D**

- **3D Magnetic Resonance Image Simulator**

- MRI physics simulation, parallel implementation
    - Very compute intensive



- **Objective:** offering an image simulator service to the research community

- **Status:** parallelised and now running on EGEE resources

- **Grid Added Value:** enables simulation of high-res images

- **gPTM3D**

- **Interactive tool to segment and analyse medical images**

- A non gridified version is distributed in several hospitals
    - Need for very fast scheduling of interactive tasks



- **Objectives:** shorten computation time using the grid



- Interactive reconstruction time: < 2min and scalable

- **Status:** development of the gridified version being finalized



- **Grid Added Value:** permanent availability of resources

- **EGEE Generic Applications Advisory Panel (EGAAP)**
  - UNIQUE entry point for “external” applications
  
  - Reviews proposals and make recommendations to EGEE management
    - Deals with “scientific” aspects, not with technical details
    - Generic Applications group in charge of introducing selected applications to the EGEE infrastructure
  
  - 8 applications selected so far:
    - Earth sciences (earth observation, geophysics, hydrology, seismology)
    - MAGIC (astrophysics)
    - Computational Chemistry
    - PLANCK (astrophysics and cosmology)
    - Drug Discovery
    - E-GRID (e-finance and e-business)
    - FUSION
    - ArchaeoGrid
    - GRACE (grid search engine, ended Feb 2005)



- **Earth Observations by Satellite**
  - Ozone profiles
- **Solid Earth Physics**
  - Fast Determination of mechanisms of important earthquakes
- **Hydrology**
  - Management of water resources in Mediterranean area (SWIMED)
- **Geology**
  - Geocluster: R&D initiative of the Compagnie Générale de Géophysique



- **A large variety of applications ported on EGEE which incites new users**
- **Interactive Collaboration of the teams around a project**



Earthquakes' epicenter determination





Ozone maps

Climate





S. Casadio - ESA ESRIN  
 (GOME 3D Ozone volume over Antarctica -  
 Sept 02, NNO Level 2 products generate  
 in EDG)



UTV-IGAM ozone profiles, date: 20020901, h = 16 km









UTV-IGAM ozone profiles, date: 20020901, h = 20 km






UTV-IGAM ozone profiles, date: 20020901, h = 10 km







Application-specific services in GENIUS

- **Ground based Air Cerenkov Telescope 17 m diameter**
- **Physics Goals:**
  - Origin of VHE Gamma rays
  - Active Galactic Nuclei
  - Supernova Remnants
  - Unidentified EGRET sources
  - Gamma Ray Burst
- **MAGIC II will come 2007**
- **Grid added value**
  - Enable “(e-)scientific” collaboration between partners
  - Enable the cooperation between different experiments
  - Enable the participation on Virtual Observatories





Cherenkov light Image of particle shower in telescope camera



reconstruct:  
arrival direction, energy  
reject hadron background





- **The Grid Enabled Molecular Simulator (GEMS)**

- Motivation:


- Modern computer simulations of biomolecular systems produce an abundance of data, which could be reused several times by different researchers.
    - data must be catalogued and searchable

- GEMS database and toolkit:


- autonomous storage resources
    - metadata specification
    - automatic storage allocation and replication policies
    - interface for distributed computation



- **On the Grid:**
  - > 12 time faster
  - (only ~5% failures)
  
- **Complex data structure**
  - data handling important
  
- **The Grid as**
  - collaboration tool
  - common user-interface
  - flexible environment
  - new approach to data and S/W sharing



Synthesized Sky Map LFI 70 GHz



1.381100




1.382900

- The Grid relies on advanced software, called **middleware**, which interfaces between resources and the applications

- **The GRID middleware:**

- Finds convenient places for the application to be run
- Optimises use of resources
- Organises efficient access to data
- Deals with authentication to the different sites that are used
- Runs the job & monitors progress
- Recovers from problems
- Transfers the result back to the scientist






- **First release of gLite end of March 2005**
  - Focus on providing users early access to prototype
  - Release 1.1 in May 05
  - Release 1.2 in July 05
  - Release 1.3 in August 05
  - Release 1.4 in October 05
  - Release 1.5 in January 06
  - see [www.gLite.org](http://www.gLite.org)
  
- **Interoperability & Co-existence with deployed infrastructure**
  
- **Robust: Performance & Fault Tolerance**
  
- **Service oriented approach**
  
- **Open source license**



- Intended to replace present middleware with production quality services
- Developed from **existing components**
- Aims to address present shortcomings and **advanced needs** from applications
- Prototyping **short development cycles** for fast user feedback
- Initial web-services based **prototypes** being tested



Application requirements <http://egee-na4.ct.infn.it/requirements/>

- **Design team includes**
  - Representatives from middleware providers (AliEn, Condor, EDG, Globus,...)
  - Colleagues from the Operations activity
  - Partners from related projects (e.g. OSG)
- **gLite development takes into account input and experiences from applications, operations, related projects**
  - Effective exchange of ideas, requirements, solutions and technologies
  - Coordinated development of new capabilities
  - Open communication channels
  - Joint deployment and testing of middleware
  - Early detection of differences and disagreements

**gLite is not “just” a software stack, it is a “new” framework for international collaborative middleware development**

- **More than 200 training events across many countries**
  - >3000 people trained  
induction; application developer; advanced; retreats
  - Material archive online with >2000 presentations
  
- **Public and technical websites constantly evolving to expand information available and keep it up to date**
  
- **4 conferences organized**
  - ~ 300 @ Cork
  - ~ 400 @ Den Haag
  - ~ 450 @ Athens
  - ~ 460 @ Pisa




- EGEE closely collaborates with other projects, e.g.
- **Flooding Crisis (CrossGrid)** demonstrated at 3<sup>rd</sup> EGEE conference in Athens
  - Simulation of flooding scenarios
  - Display in Virtual Reality
  - Optimize data transport


→ won prize for “best demo”



- Ongoing **collaborations**
  - with non-EU partners: US, Israel, Russia, Korea, Taiwan...
    - MoU with the Chonnam–Kangnung–Sejong–Collaboration project (CKSC)
    - Strong relationship KISTI (Korea Institute of Science and Technology Information), developing into partnership for EGEE II
  - with other European projects, in particular:
    - GÉANT
    - DEISA
    - SEE-GRID
  - with non-European projects:
    - OSG: OpenScienceGrid (USA)
    - NAREGI (Japan)
    - International Grid Trust Federation
      - *EU-GridPMA joining with Asia-Pacific and American counterparts*
- EGEE as **incubator**
  - 18 submitted EU proposals supported












- **EGEE I**

- Large scale deployment of EGEE infrastructure to deliver production level Grid services with selected number of applications



- **EGEE II**

- Natural continuation of the project's first phase
- Emphasis on providing an infrastructure for e-Science
  - increased support for applications
  - increased multidisciplinary Grid infrastructure
  - more involvement from Industry
- **Extending the Grid infrastructure world-wide**
  - increased international collaboration



- **Grids are a powerful new tool for science – as well as other fields**
- **Grid computing has been chosen by CERN and HEP as the most cost effective computing model**
- **Several other applications are already benefiting from Grid technologies (biomedical is a good example)**
- **Investments in grid projects are growing world-wide**
- **Europe is strong in the development of Grids also thanks to the success of EGEE and related projects**

- **EGEE Website**

<http://www.eu-egee.org>

- **How to join**

<http://public.eu-egee.org/join/>

- **How to test**

<https://gilda.ct.infn.it>

- **EGEE Project Office**

[project-eu-egee-po@cern.ch](mailto:project-eu-egee-po@cern.ch)