



Introduction to Grids and Grid applications




Peter Kacsuk and Gergely Sipos

MTA SZTAKI

www.lpds.sztaki.hu


What is Grid?

- A Grid is a collection of computers, storages, special devices, services that can **dynamically join and leave** the Grid
- They are **heterogeneous** in every aspect
- They are geographically **distributed** and connected by a **wide-area network**
- They can be accessed **on-demand** by a set of users



Why use a Grid?

- A user has a complex problem that requires many services/resources in order to
 - reduce computation time
 - access large databases
 - access special equipments
 - collaborate with other users





Typical Grid application areas

- **High-performance computing (HPC)**
 - to achieve **higher performance** than individual supercomputers/clusters can provide
 - Requirement: **parallel computing**
- **High-throughput computing (HTC)**
 - To exploit the **spare cycles** of various computers connected by wide area networks
- **Collaborative work**
 - Several users can jointly and remotely solve complex problems




Two players of the Grid

- Resource donors = D
- Resource users = U
- Relationship between the two characterizes the Grid:
 - if $U \sim D$ \Rightarrow generic Grid model
 - if $U \gg D$ \Rightarrow utility Grid model
 - if $U \ll D$ \Rightarrow desktop Grid model



Generic Grid modell






Characteristics of the generic Grid model

- **A volunteer Grid:** Anybody can donate resources
- Heterogeneous resources, that dynamically join and leave
- Anybody (belonging to the donating institutes) can use the donated resources for solving her/his **own** applications
- Symmetric relationship between donors and users:
$$U \sim D$$
- Examples:
 - GT-2 grids
 - 1st version of UK NGS
- **Problems:**
 - Installing and maintaining client and server grid software are too complicated
 - Volunteer Grids are not robust and reliable




Desktop Grid model





Desktop Grid model – Master/slave parallelism





Characteristics of the desktop Grid model

- **A volunteer Grid**: Anybody can donate resources
- Heterogeneous resources, that dynamically join and leave
- **One or a small number of projects** can use the resources
- Asymmetric relationship between donors and users:
$$U \ll D$$
- Advantage:
 - Donating a PC is extremely easy
 - Setting up and maintaining a DG server is much easier than installing the server sw of utility grids




Types of Desktop Grids

- Global Desktop Grid
 - Aim is to collect resources for grand-challenge scientific problems
- Example:
 - BOINC (SETI@home)
 - SZTAKI Desktop Grid (SZDG)
- Local Desktop Grid
 - Aim is to enable the quick and easy creation of grid for any community (company, univ. city, etc.) to solve their own applications
- Example:
 - Local SZDG



SETI: a global desktop grid

- SETI@home
 - 3.8M users in 226 countries
 - 1200 CPU years/day
 - 38 TF sustained (Japanese Earth Simulator is 32 TF sustained)
 - **Highly heterogeneous**: >77 *different* processor types



SZTAKI Desktop Grid global version



Number of users: **14819** Number of hosts: **29414**

Active hosts in last 48 hours: **1920**

Estimated performance of last 48 hours^{1,2}: **744.085 GFlop/s** Peak performance^{1,2}: **1.5 TFlop/s**

Workunits processed in last 48 hours³: **9574**

Join SZTAKI Desktop Grid



[Rules and policies \[read this first\]](#)

[Getting started](#)

[Frequently Asked Questions\(FAQ\)](#)

[Create account](#)

[Applications](#)

Returning participants

[Your account](#) - view stats, modify preferences

[Teams](#) - create or join a team


Application currently run by Project

SZTAKI Desktop Grid currently searches for generalized binary number systems.

Description on the application is available [here](#).



SZTAKI Desktop Grid global version





SZTAKI Desktop Grid local version

- **Main objective:**
 - **Enable the creation of local DG for any community**
Demonstrate how to create such a system
 - Building production Grids requires huge effort and represents a privilege for those organizations where high Grid expertise is available
 - **Using the local SZDG package**
 - **Any organization** can build a local DG in a day with minimal effort and with minimal cost (a strong PC is enough as a server machine)
 - The applications of the local community will be executed by the **spare PC cycles** of the local community
 - There is no limitation for the applied PCs, all the PCs of the organization can be exploited (**heterogeneous Grid**)
 - You can download the local SZDG package from:
<http://www.desktopgrid.hu/>



DSP application on a local SZDG in the Univ. of Westminster

- **Digital Signal Processing Appl.:** Designing optimal periodic nonuniform sampling sequences
- Currently more than 100 PCs connected from Westminster and planned to extend over 1000 PCs

The speedup



DSP size	Sequential	Production	SZDG
20	~3h 33min	~35min	~1h 44min
22	~41h 53min	~7h 23min	~5h 4min
24	~724h	~141h	~46h 46min




Usage of local SZDG in industry

- **AMRI Hungary Ltd.**
 - Drug discovery application
 - Creating enterprise Grid for prediction of ADME/Tox parameters
 - Millions of molecules to test according to potential drug criteria
 - New FP6 EU Grid project: CancerGrid
- **Hungarian Telecom**
 - Creating enterprise Grid for supporting large data mining applications where single computer performance is not enough
- **OMSZ (Hungarian Meteorology Service)**
 - Creating enterprise Grid for climate modeling



Utility Grid model





Characteristics of the utility Grid model


- **Semi-volunteer Grids:** Donors must be “professional” resource providers who provide production service (7/24 mode)
- Typically homogeneous resources
- Anybody can use the donated resources for solving her/his **own** applications
- Asymmetric relationship between donors and users:

$$U \gg D$$

- Examples:
 - EGEE -> SEE-Grid, BalticGrid, etc.
 - UK NGS current version, NorduGrid
 - OSG, TeraGrid



The largest production Grid: EGEE





NorduGrid



Dynamic Grid

~ 33 sites, ~1400 CPUS

Production Grid

Real users, real applications

It is in 24/7 operation, unattended by administrators for most of the time



TeraGrid

Caltech: Data collection analysis

0.4 TF IA-64
IA32 Dataw
80 TB Storage



LEGEND



Cluster



Visualization Cluster


ANL: Visualization



1.25 TF IA-64
96 Viz nodes
20 TB Storage

4 TF IA-64
DB2, Oracle S
500 TB Disk S
6 PB Tape St
1.1 TF Power

SDSC



6 TF EV68
71 TB Storage
Shared-memory
Storage Server

intensive

PSC integrated Q3 03




Exploiting parallelism

- Single parallel application
 - Single-site parallel execution
 - Multi-site parallel execution
- Workflow branch parallelism
 - Sequential components
 - Parallel components
 - Two-level single-site parallelism
 - Two-level multi-site parallelism
- Parameter sweep (study) applications:
 - The same application is executed with many (1000s) different parameter sets
 - The application itself can be
 - Sequential
 - Single parallel
 - workflow




How to use a Grid for single-site parallelism?









How to use a Grid for multi-site parallelism?







How to use a Grid for two level single-site parallelism?






How to use a Grid for two level multi-site parallelism?






Master/slave parallelism and parametric studies in utility Grids





How to use a Grid for HPC parameter study?





Typical Grid Applications


- **Computation intensive**
 - Interactive simulation (climate modeling)
 - Very large-scale simulation and analysis (galaxy formation, gravity waves, battlefield simulation)
 - Engineering (parameter studies, linked component models)
- **Data intensive**
 - Experimental data analysis (high-energy physics)
 - Image and sensor analysis (astronomy, climate study, ecology)
- **Distributed collaboration**
 - Online instrumentation (microscopes, x-ray devices, etc.)
 - Remote visualization (climate studies, biology)
 - Engineering (large-scale structural testing, chemical engineering)
- **In all cases, the problems were big enough that they required people in several organization to collaborate and share computing resources, data, instruments.**



EGEE Applications

- >20 applications from 7 domains
 - High Energy Physics
 - Biomedicine
 - Earth Sciences
 - Computational Chemistry
 - Astronomy
 - Geo-Physics
 - Financial Simulation
- Further applications in evaluation

Applications now moving from testing to routine and daily usage






An Example Problem tackled by EGEE

- The Large Hadron Collider (LHC) located at CERN, Geneva Switzerland
- Scheduled to go into production in 2007
- Will generate 10 Petabytes (10^7 Gigabytes) of information per year
- This information must be processed and stored somewhere
- It is beyond the scope of a single institution to manage this problem -> VO is needed



Virtual Organizations

- Distributed resources and people
- Linked by networks, crossing admin domains
- Sharing resources, common goals
- Dynamic






Local EGEE related activities


- Portugal and Spain are part of South West EGEE Federation (SWE)

grid.ifca.unican.es/egee-sa1-swe




- Also involved in “E-infrastructure shared between Europe and Latin America” project (EELA)

www.eu-eela.org






Progress in Grid Systems





Other EU Grid projects



Training and Education: ICEAGE

International Collaboration to Extend and Advance Grid Education

www.iceage-eu.org





Structure of the current course

- **Day 1**
 - Introduction to grid technologies
 - Detailed study of GT4 technology and usage
- **Day 2**
 - Application development on Grids
 - Portal technology
- **Day 3**
 - GT4 Grid installation
 - Portal installation